



TURN ON CW LAJER 115

AT TOM TIME SLOT FOR DOWNSTREAM STATION #1,

TUNE TUNABLE FLUTER ISO FOR DOWNSTREAM STATION #1

SO AS TO CREATE A MODULATED REFLECTION OF CW LAIER IIS,

AND TUNE TUNABLE FLUTERS ISO FOR ALL OTHER DOWNSTREAM

STATIONS SO AS TO NOT REFLECT CW CASER IIT

AT TOM TIME SLOT FOR POWNINGEAM STATION #2,

THE TUNABLE FILTER ISO FOR DOWNINGEAM STATION #2

SO AU TO CREATE A MODULATED REFLECTION OF CWLASER IIS,

AND TUNE TUNABLE FILTERS ISO FOR ALL OTHER DOWNINGEAM

STATIONS SO AD TO NOT REFLECT CW LAJER IIS

AT TOM TIME SLOT FOR DOWNSTREAM STATION #3,
TUNE THNABLE FILTER ISO FOR DOWNSTREAM STATION #3
TO AS TO CREATE A MODULATED REFLECTION OF CW LASER IS,
AND TUNE THNABLE FICTERS ISO FOR ALL OTHER DOWNSTREAM
STATIONS SO AS TO NOT REFLECT CW LASER IS

Etc.

FIG. 3 UPSTREAM TRANSMISSION IN TOM MODE